Package: fgdr (via r-universe)

October 31, 2026

Title Utilities for Fundamental Geo-Spatial Data

Version 1.1.1.9000

Description Read and Parse for Fundamental Geo-Spatial Data (FGD) which downloads XML file from providing site (<https://fgd.gsi.go.jp/download/menu.php>). The JPGIS format file provided by FGD so that it can be handled as an R spatial object such as 'sf' and 'raster', 'terra' or 'stars'. Supports the FGD version 4.1, and accepts fundamental items and digital elevation models.

License MIT + file LICENSE

Imports data.table (>= 1.12.8), jpmesh (>= 1.1.1), magrittr (>= 1.5), purrr (>= 0.2.5), raster (>= 2.6.7), readr (>= 1.3.1), rlang (>= 0.2.2), sf (>= 0.6.3), stars (>= 0.3-1), stringr (>= 1.3.1), terra (>= 0.8-2), tibble (>= 3.0.0), units (>= 0.6.6), xml2 (>= 1.2.0)

Encoding UTF-8

LazyData true

URL https://github.com/uribo/fgdr

BugReports https://github.com/uribo/fgdr/issues

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Suggests roxygen2 (>= 6.1.1), testthat (>= 2.3.1)

Depends R (>= 3.3.0)

Config/pak/sysreqs libabsl-dev cmake libgdal-dev gdal-bin libgeos-dev make libicu-dev libpng-dev libuv1-dev libxml2-dev libssl-dev libproj-dev libsqlite3-dev libudunits2-dev libx11-dev zlib1g-dev

Repository https://uribo.r-universe.dev

Date/Publication 2023-09-19 02:25:03 UTC

RemoteUrl https://github.com/uribo/fgdr

RemoteRef HEAD

RemoteSha 0a54456af3339b64fd769c29d4d9a8fa7f7574d3

Contents

dem_check 2
fgd_line_parse 2
read_fgd 3
read_fgd_dem 4

Index **5**

`dem_check` *DEM input file status check*

Description

DEM input file status check

Usage

```
dem_check(file, .verbose = TRUE, ...)
```

Arguments

`file`	XML file download from fgd
`.verbose`	`logical`. suppress info input XML file's about DEM information.
`...`	Additional arguments passed on to other functions.

`fgd_line_parse` *Line element parsed*

Description

Line element parsed

Usage

```
fgd_line_parse(file)
```

Arguments

`file`	XML file download from fgd

Details

type AdmArea, BldA, WA

read_fgd *Read and Parse Fundamental Geospatial Data (FGD) file*

Description

The JPGIS (GML) format file provided by FGD as input, the fundamental items in the file is read as an 'sf' object. Supporting FGD Version 4.1 (2016/10/31).

Usage

```
read_fgd(file)
```

Arguments

file	Path to XML file

Details

Support following items: Administrative Area ('AdmArea'), Administrative Boundary ('AdmBdry'), Representative point of Administrative Area ('AdmPt'), Building Area ('BldA'), Building Outline ('BldL'), Contour ('Cntr'), Community Boundary ('CommBdry'), Representative Point of Community Area ('CommPt'), Coastline ('Cstline'), Elevation Point ('ElevPt'), Geodetic Control Point ('GCP'), Railroad Track Centerline ('RailCL'), Road Component ('RdCompt'), Road Edge ('RdEdg'), Water Area ('WA'), Water Line ('WL') and Waterside Structure Line ('WStrL').

Value

A sf

See Also

https://fgd.gsi.go.jp/download/ref_kihon.html

Examples

```
# Administrative Area
read_fgd(system.file("extdata/FG-GML-000000-AdmPt-dummy.xml", package = "fgdr"))
```

read_fgd_dem *Read and Parse Fundamental Geospatial Data (FGD) dem file*

Description

The JPGIS (GML) format file provided by FGD as input, the digital elevation models in the file are read as a data.frame or spatial object (raster, stars or terra). Supporting FGD Version 4.1 (2016/10/31)

Usage

```
read_fgd_dem(file, resolution = c(5, 10), return_class)
```

Arguments

file	Path to XML file
resolution	the number of dem mesh size resolution: 5m or 10m
return_class	one of return object class: 'data.table' for faster than data.frame, 'data.frame', 'raster', 'stars' or 'terra'

Value

A tibble (data.frame), raster, stars or terra

See Also

https://fgd.gsi.go.jp/download/ref_dem.html

Examples

```
fgd_5dem <- system.file("extdata/FG-GML-0000-00-00-DEM5A-dummy.xml", package = "fgdr")
read_fgd_dem(fgd_5dem,
             resolution = 5,
             return_class = "data.table")
read_fgd_dem(fgd_5dem,
             resolution = 5,
             return_class = "data.frame")
# return as raster
read_fgd_dem(fgd_5dem,
             resolution = 5,
             return_class = "raster")
# return as stars
fgd_10dem <- system.file("extdata/FG-GML-0000-10-dem10b-dummy.xml", package = "fgdr")
read_fgd_dem(fgd_10dem,
             resolution = 10,
             return_class = "stars")
```

Index

data.frame, *4*
data.table, *4*
dem_check, 2

fgd_line_parse, 2

raster, *4*
read_fgd, 3
read_fgd_dem, 4

sf, *3*
stars, *4*

terra, *4*
tibble, *4*