

Package: j pops (via r-universe)

September 5, 2024

Title Provides a Data Set on the Population in Japan

Version 0.0.0.9000

Description Information on the population and household registers, as published by the census and each local authority. The acquired data will be returned in a tidy format.

Imports estatapi (>= 0.4.0), dplyr (>= 1.0.7), glue (>= 1.5.1), lifecycle (>= 1.0.1), magrittr (>= 2.0.1), rappdirs (>= 0.3.3), rlang (>= 0.4.12), stringr (>= 1.4.0)

Suggests cli (>= 3.1.0), withr (>= 2.4.3)

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.1

Roxygen list(markdown = TRUE)

Repository <https://uribo.r-universe.dev>

RemoteUrl <https://github.com/uribo/jpops>

RemoteRef HEAD

RemoteSha d3efe96737c7717e4c306d15122feac55d44ae65

Contents

conv_gender_vars	2
get_jinkou	2
reset_cache	3

Index	4
--------------	----------

conv_gender_vars	<i>Convert e-Stat's record value</i>
------------------	--------------------------------------

Description**[Experimental]****Usage**

```
conv_gender_vars(x, lang = "ja")
```

Arguments

x	variable
lang	Specify the language to convert

get_jinkou	<i>Obtain data for the Population Census</i>
------------	--

Description**[Experimental]****Usage**

```
get_jinkou(year, appid = NULL, cache = TRUE, .area = "all")
```

```
get_jinkou_age(year, appid = NULL, cache = TRUE, .area = "all")
```

Arguments

year	year
appid	application id
cache	save to cache
.area	Limit the output area. The default is "all". You can select "prefecture" and "city" as options.

reset_cache	<i>Remove cache files</i>
-------------	---------------------------

Description

Remove all package cache files.

Usage

reset_cache()

Index

`conv_gender_vars`, [2](#)

`get_jinkou`, [2](#)

`get_jinkou_age` (`get_jinkou`), [2](#)

`reset_cache`, [3](#)